## State of California AIR RESOURCES BOARD

## **EXECUTIVE ORDER I-11-031**

Relating to Independent Contractor Approval under California Code of Regulations, Title 17, Section 91207

AIR<sub>X</sub> Testing – Division of Justice & Associates

WHEREAS, the Air Resources Board (ARB), pursuant to California Health and Safety Code (CH&SC), section 41512, has established the procedures contained in California Code of Regulations (CCR), title 17, sections 91200-91220, to allow the use of independent testers for compliance tests required by ARB;

WHEREAS, it has been determined that  $AIR_X$  Testing – Division of Justice & Associates meets the requirements of ARB for conducting ARB Test Methods 1, 2, 3, 4, 5, 8, 100 (CO, CO<sub>2</sub>, NO<sub>X</sub>, O<sub>2</sub>, SO<sub>2</sub>, THC), 501, and Visible Emissions Evaluation (VEE) pursuant to CCR, title 17, sections 91200-91220, when the following conditions are met:

- AIR<sub>X</sub> Testing Division of Justice & Associates calibrates its differential pressure gauges after each test series in accordance with section 2.2 of ARB Test Method 2 and establishes and maintains a log of the calibrations;
- AIR<sub>X</sub> Testing Division of Justice & Associates uses Anhydrous Calcium Sulfate as the desiccant in accordance with section 4.3 of ARB Test Method 5;
- AIR<sub>X</sub> Testing Division of Justice & Associates participates in the United States Environmental Protection Agency Stationary Source Compliance Audit Program for approved methods;
- 4. AIR<sub>X</sub> Testing Division of Justice & Associates acquires and uses a triple beam lab balance for determining silica gel drying column weight gains;
- AIR<sub>X</sub> Testing Division of Justice & Associates acquires and uses ASTM E617
   Class 1 weights for calibrating its balances. It must also establish and maintain a log of the calibrations;
- 6. AIR $_{\rm X}$  Testing Division of Justice & Associates uses a 40 percent H $_{\rm 2}$ /60 percent He or a 40 percent H $_{\rm 2}$ /60 percent N $_{\rm 2}$  blend, as appropriate, as fuel for its hydrocarbon analyzer;
- 7. The person performing VEE passed ARB's Compliance Training Course #100: Fundamentals of Enforcement (FOE or Smoke School) and is currently certified to conduct VEE. Any recertification for VEE, following the initial passage of ARB's FOE, must be by a certifying body recognized by ARB at the time VEE is performed; and

WHEREAS, ARB's Executive Officer, pursuant to CH&SC, section 39516, issued Executive Order G-02-008, delegating to the Chief of ARB's Monitoring and Laboratory Division (MLD) the authority to approve independent testers in accordance with CCR, title 17, sections 91200-91220.

NOW, THEREFORE, I, Alberto Ayala, Chief of ARB's MLD, order that  $AIR_X$  Testing – Division of Justice & Associates is granted an approval, from the date of execution of this order, until June 30, 2012, to conduct the tests listed above, subject to compliance with CCR, title 17, sections 91200-91220.

BE IT FURTHER ORDERED that during the approved period, the Executive Officer or his authorized representative may field audit one or more tests conducted pursuant to this order for each type of testing listed above.

Executed at Sacramento, California, this 28<sup>th</sup> day of June 2011.

Original signed by

Alberto Ayala, Ph.D., M.S.E. Chief, Monitoring and Laboratory Division